



**TOWN OF WATERTOWN CONNECTICUT
WATERTOWN MUNICIPAL CENTER**

61 Echo Lake Road

Watertown, Connecticut 06795-2200

Planning and Zoning, Zoning Board of Appeals, Conservation Commission/Inland Wetland Agency

Telephone: (860) 945-5266

Fax: (860) 945-4706

Sent by certified mail

November 22, 2011

Roy Cavanaugh, Director
Department of Public Works
51 Depot Street
Suite 203
Watertown Connecticut 06795

NOV 29 2011


RECEIVED

Dear Mr. Cavanaugh:

The Conservation Commission/Inland Wetland Agency of the Town of Watertown at a regular meeting held on October 13, 2011 voted to approve application #800 subject to conditions to conduct regulated activities associated with the removal of sediment and maintenance of Steele Brook near the intersection of Main Street and Riverside Street, Oakville, CT.

Legal Notice of Approval appeared in the Town Times on October 20, 2011. Your permit is enclosed. Please feel free to contact this office if you have any questions concerning this permit.

Sincerely,


Moosa M. Rafey
Wetlands Enforcement Officer

MMR:mr

specifically identified and approved herein shall constitute a violation of this permit and may result in its modification, suspension, or revocation.

4. This permit is not transferable without the written consent of the Conservation Commission/ Inland Wetland Agency.
5. In evaluating this application, the wetland agency has relied on information provided by the applicant. The Agency has also relied on the State Department of Environmental Protection and Department of Transportation review of the project plans. If such information is subsequently proved to be false, incomplete, or misleading, this permit may be modified, suspended, or revoked and the permittee may be subject to any other remedies or penalties provided by law.
6. No equipment or material including without limitation fill, construction materials, or debris, shall be deposited, placed or stored in any wetland or watercourse and upland review area on or off site unless specifically approved by this permit.
7. This permit is subject to and does not derogate any rights or powers of the Town of Watertown, conveys no property rights or exclusive privileges, and is subject to all public and private rights and to all applicable federal, state and local laws. In conducting and maintaining any activities approved herein, the permittee may not cause pollution, impairment, or destruction of the inland wetlands and watercourses of the Town of Watertown.
8. If the activity approved by the inland wetlands permit also involves activity or a project that requires State DEP, zoning approval, special permit, variance, or special exception, no work pursuant to the wetlands permit may begin until such approval is obtained.
9. The permittee shall install and maintain erosion and sediment control measures at the site in such an operable condition as to prevent the pollution of wetlands and watercourses. Said controls are to be inspected by the permittee for deficiencies at least once per week and immediately after rains. The permittee shall correct any such deficiencies within 24 hours of said deficiency being found.
10. The excavated sediments from Steele Brook shall be removed from the site and deposited outside of regulated areas.
11. As discussed during the Agency's meeting a low flow channel (fish passage) shall be constructed under the bridge.
12. All activities in the watercourse shall be conducted during low flow.

This authorization constitutes the permit required by Section 22a-42 of the Connecticut General Statute, as amended.