

ADDENDUM NO.: 7

DATE OF ADDENDUM: October 27, 2014

**State Veterans' Cemetery
Expansion and Improvements
Middletown, CT
BI – C – 283**

Original Bid Due Date / Time: September 24, 2014 1:00 PM

Revised Bid Due Date / Time: December 03, 2014 1:00 PM

Previous Addendums: 1 Dated September 16, 2014
2 Dated September 17, 2014
3 Dated September 26, 2014
4 Dated September 29, 2014
5 Dated September 30, 2014
6 Dated October 17, 2014

TO: Prospective Bid Proposers:

This Addendum forms part of the "Contract Documents" and modifies or clarifies the original "Contract Documents" for this Project dated September 3, 2014. Prospective Bid Proposers shall acknowledge receipt of the total number the Addenda issued for this Project on the space provided on Section 00 41 00 Bid Proposal Form. Failure to do may subject Bid Proposers to disqualification.

The following clarifications are applicable to drawings and specifications for the project referenced above.

Item 1

Within specification 07 73 00 Columbarium Niche Cover Granite please add the following to Paragraph 1.2 GENERAL:

3. Furnish and install columbarium marker plates (each end of all columbarium units) made from grey granite
4. Furnish and install cap stone (top of all columbarium units) and coping / block (around base of all columbarium units) made from grey granite.

Item 2

Within specification 07 73 00 Columbarium Niche Cover Granite please change the following to Paragraph 1.5 SUBMITTALS from:

2. This sample will be the basis for comparison of all blank niche covers furnished under this contract.

To

- "2. Submit at contractor expense, shop drawings for all columbarium marker plates, cap stones and coping / block
3. Samples will be the basis for comparison of all granite furnished under this contract. "

Item 3

Within specification 07 73 00 Columbarium Niche Cover Granite please change the following to Paragraph 1.6 REFERENCE STANDARDS from:

ADDENDUM NO.: 7

DATE OF ADDENDUM: October 27, 2014

- "4. Drawings, Department of Veterans Affairs, National Cemetery Administration A-BNC-1 – Blank Niche Cover Layout (Marble/Granite)"

To:

- "4. Drawings, Department of Veterans Affairs, National Cemetery Administration A-BNC-1 – Blank Niche Cover Layout (Marble/Granite), and the Contract Documents"

Item 4

Within specification 07 73 00 Columbarium Niche Cover Granite please change the following to Paragraph 1.7 QUALITY ASSURANCE A 6 from:

- "6. Flexural Strength

Granite shall have a flexural strength of 8.27 MPa (1,200-psi)
minimum when tested as specified in ASTM C880.

NOTE: Testing results are not required for the following Quarry Location and Primary Name of granite:

Barre, Vermont – Barre Gray Granite
Elberton, Georgia – Elberton Granite"

To

- "6. Flexural Strength

Granite shall have a flexural strength of 8.27 MPa (1,200-psi)
minimum when tested as specified in ASTM C880.

NOTE: Testing results are not required for the following Quarry Location and Primary Name of granite:

Barre, Vermont – Barre Gray Granite (*Basis of Design*)
Elberton, Georgia – Elberton Granite"

Item 5

Within specification 07 73 00 Columbarium Niche Cover Granite please add the following to Paragraph 2.2 B MANUFACTURE:

3. Finish for Columbarium Plate Markers face shall be as depicted on the Contract Documents. All other sides shall be smooth sawn finish (eased edges)
4. Finish for the Cap Stones shall be as depicted on the Contract Documents. Rock face finish all exposed sides, sawn and thermal finish top, bottom and joining sides (ease all edges).
5. Finish for the Coping / Block shall be sawn and thermal finish all sides (ease all edges).

End of Addendum #7

ADDENDUM NO.: 7

DATE OF ADDENDUM: October 27, 2014

All questions must be in writing (not phone or e-mail) and must be forwarded to the consulting Architect/Engineer (BL Companies-Ray Gradwell at (860) 249-2400 with copies sent to the CT DCS Project Manager (Ron Zanobi) at (860) 713-7261.



Mellanee Walton, Associate Fiscal Administrative Officer
Department of Administrative Services
On Behalf of the Division of Construction Services